

# Owner Instructions

Original Instructions  
CAUTION Read instructions before using the machine




NV - 450  
NVQ - 450  
NVD - 450  
NVDQ - 450  
NV - 570  
NVQ - 570  
NVD - 570  
NVDQ - 570  
NV - 750  
NVQ - 750  
NVD - 750  
NVDQ - 750  
NV - 900  
NVQ - 900  
NVD - 900  
NVDQ - 900




[www.numatic.com](http://www.numatic.com)



# 607164 Kit BA2




## NV 570 - NVQ 570 NVD 570 - NVDQ 570






# Handle Fitting Instructions

NV 900 - NVQ 900 - NVD 900 - NVDQ 900




# Assembling the Machine



NV 570




# Switch Identification





# Fitting the Filter Bag








# NuCable



## Rating Label

1	Company Name & Address
2	Model
3	Voltage / Alternating Current
4	Frequency
5	Rated Input Power
6	Weight
7	WEEE Logo
8	Protection Class 2 Symbol
9	Approval Mark
10	Machine yr/wk Serial Number




Maintenance










**Daily**  
Keep the machine clean, including hoses and tubes. Ensure the bag and filter are fitted. Regularly examine the power cord. Check dust bag frequently. Check filters are clean.

**Weekly - as daily and:-**  
Check for any worn or damaged parts and replace immediately.

**WEEE Legislation (Waste, Electrical and Electronic Equipment)**  
Vacuum cleaner, accessories and packaging should be sorted for environmentally - friendly recycling.  
**(Only for UK/EU Countries)**  
Do not dispose of vacuum cleaner into household waste! According to the European Directive 2012/19/EU on waste electrical and electronic equipment and its incorporation into national law. Vacuum cleaners that are no longer suitable for use must be separately collected and sent for recovery in an environmentally - friendly manner.



**PPE (personal protective equipment).** That may be required for certain operations.

				
Ear Protection	Safety Footwear	Head Protection	Safety Gloves	
				Caution Floor Sign
Eye Protection	Protective Clothing	Dust / Allergens Protection	Hi Viz Jacket	

**NOTE:** A risk assessment should be conducted to determine which PPE should be worn.

Failure to rectify the problem or in the event of a breakdown contact your Numatic dealer or the Numatic Technical helpline +44 (0)1460 269268

**Safety Critical Components**

Mains leads:	HO5VV-F	10m x 2 Core x 1.00mm <sup>2</sup>
	HO5VV-F	10m x 2 Core x 2.50mm <sup>2</sup>



### **WARNING**

Read the instruction manual before using the machine.

Operators shall be adequately instructed on the use of their machine.

As with all electrical equipment, care and attention must be exercised at all times during use, in addition to ensuring that routine and preventative maintenance is carried out periodically to ensure safe operation.

Failure to carry out maintenance as necessary, including the replacement of parts to the correct standard could render this equipment unsafe and the manufacturer can accept no responsibility in this respect.

Maintenance should only be carried out by a qualified person.

This machine is for DRY USE only and must not be stored outside or used in wet conditions.

The machine shall be disconnected from the mains power by removing the plug from the power supply socket during cleaning or maintenance and when replacing parts or converting the machine to another function.

Only use the socket outlet on the machine for purposes specified in the instructions (if fitted).

This machine is not to be used by children or persons with reduced physical, sensory or mental capabilities, or lack of experience or knowledge.

This appliance is intended to be cleaned and maintained by an adult.

Children being supervised are not to play with the machine.

This machine is not a toy.

This machine is not suitable for picking up hazardous or explosive dust.

Contact your local distributor if you require a machine capable of performing these tasks.

### **CAUTION**

Ensure that the filtration system fitted to the machine is suitable for the material being collected.

This vacuum cleaner is intended for indoor use in the collection of dry materials.

This machine should be stored indoors only.

### **NOTES**

The primary use for this machine is commercial, for example in hotels, schools, hospitals, factories, shops and offices.

This product complies with the requirements of clause 20 of IEC/EN 60335-2-69 Stability and Mechanical Hazards.

This vacuum cleaner is fitted with a thermal protection device. If the vacuum cleaner stops working, remove the plug from the wall before investigating where the fault lies.

If the vacuum cleaner has a blockage, switch off, remove the plug from the power socket, inspect the floor tool, tubes and hose for debris. If the floor tool, tubes and hose are clear, replace the dust bag and clean the filter.

The vacuum cleaner should be inspected after use for damage.

The vacuum cleaner should be stored in a dry place.

When moving from one place to another, consider the weight of the machine.

### **DO**

- Keep your machine clean including hoses and tubes.
- Change dust bag frequently.
- Keep filters clean.
- Keep diffuser filter (where fitted) clean.
- Use filter bags, they will enhance performance and help keep machine clean.
- Use a Numatic Original filter bag under fine dust conditions.
- Keep hoses and tubes clear.
- Replace any worn or damaged parts immediately.
- Only use the brushes provided with the machine. The use of other brushes may impair safety.
- Regularly examine the power cord. If damage is found such as cracking or ageing the power cord must be replaced by a qualified person.
- Only replace the power cord with the correct Numatic approved replacement part.

### **DO NOT**

- Pull on the cable to unplug the machine from the power supply.
- Use to suck up hot ashes or lighted cigarette ends.
- Use steam cleaners or pressure washers to clean the machine or use in the rain.
- Immerse in water for cleaning.
- Attempt machine maintenance or cleaning unless the power supply plug has been removed from the supply outlet.
- Use in wet environments or to collect wet materials.
- Under any circumstances place foreign objects including (but not limited to) air fresheners, air freshener capsules or scented beads of any type into the top filter of the machine. Doing so can be dangerous and risk damage to the machine and may invalidate the machine warranty.

# Spare Parts

NVDQ Head		NV Head	
598516	NVDQ 570 Head UK	598007	NV 570 Head European
598916	NVDQ 900 Head UK	598202	NV 450 Head Swiss
598054	NVDQ 900 Head (110V) UK	598306	NV 750 Head UK
598101	NVDQ 570 Head (110V) UK		
598329	NVDQ 900 Head South Africa		
NVQ Head		NV - NVQ Drum	
598040	NVQ 570 Head UK	500311	NV 900 Red Drum
598050	NVQ 370 Head European	500392	NV/NVQ 570 Red Drum
598125	NVQ 570 Head European	500004	NV 750 Red Drum
598156	NVQ 900 Head UK	500003	NV 450 Red Drum
598237	NVQ 570 Head (110V) UK		
Filter			
604038	Filter for 305mm Machines	604138	Filter for 356mm Machines

604017  
HepaFlo  
Filter bags

Pack of 10

NVM 3BH  
570 Drum



604019  
HepaFlo  
Filter bags

Pack of 10

NVM 4BH  
750/900 Drum



# DATA

	Motor	AirFlo	Suction	Cleaning Range	Class
NV 450 NVQ 450 NVD 450 NVDQ 450	960W 960W 960W x 2 960W x 2	48 L/sec 48 L/sec 96 L/sec 96 L/sec	2300 mm w.g.	26.8m	II
	Capacity Dry	Size	Weight	Sound Pressure (LpA) Uncertainty (KpA)	
NV 450 NVQ 450 NVD 450 NVDQ 450	27 L	358x450x655mm	10.3 kg	68.9 - 67.7 dB	

	Motor	AirFlo	Suction	Cleaning Range	Class
NV 570 NVQ 570 NVD 570 NVDQ 570	960W 960W 960W x 2 960W x 2	48 L/sec 48 L/sec 96 L/sec 96 L/sec	2300 mm w.g.	26.8m	II
	Capacity Dry	Size	Weight	Sound Pressure (LpA) Uncertainty (KpA)	
NV 570 NVQ 570 NVD 570 NVDQ 570	23 L	415x415x645mm	13.8 kg 13.8 kg 16.0 kg 16.0 kg	71.7 - 69.5 dB	

	Motor	AirFlo	Suction	Cleaning Range	Class
NV 750 NVQ 750 NVD 750 NVDQ 750	960W 960W 960W x 2 960W x 2	48 L/sec 48 L/sec 96 L/sec 96 L/sec	2300 mm w.g.	26.8m	II
	Capacity Dry	Size	Weight	Sound Pressure (LpA) Uncertainty (KpA)	
NV 750 NVQ 750 NVD 750 NVDQ 750	35 L	510x510x960mm	20.6 kg 22.8 kg	84.6 dB	

	Motor	AirFlo	Suction	Cleaning Range	Class
NV 900 NVQ 900 NVD 900 NVDQ 900	960W 960W 960W x 2 960W x 2	48 L/sec 48 L/sec 96 L/sec 96 L/sec	2300 mm w.g.	26.8m	II
	Capacity Dry	Size	Weight	Sound Pressure (LpA) Uncertainty (KpA)	
NV 900 NVQ 900 NVD 900 NVDQ 900	40 L	800x490x880mm	22.5 kg 22.5 kg 25.0 kg 25.0 kg	75.8 - 72.9 dB	




Failure to rectify any problem or in the event of a breakdown contact your Numatic dealer or the Numatic Technical helpline +44 (0)1460 269268

\* Specification Subject to change without prior notice.

# Schematic Diagram

DRW-19294


Simplex



# Schematic Diagram

WD-0228

Duplex



# Notes

A series of horizontal dotted lines for writing notes, consisting of 30 lines.

# Numatic International Warranty

Numatic International Limited warrant to the original purchaser that its products are free of defects in both material or workmanship for the period shown below:-

Homecare and Cleancare Vacuum cleaners.....	2 Years
Rotary Floor Machines.....	2 Years
Twintec Auto Scrubber Dryer.....	1 Year
Vario Ride-On Scrubber Dryer.....	1 Year / 1500 hours
Mopping, Compacts, Combi and Servocare Products.....	1 Year
Individual Accessories and Spare Parts.....	6 Months

*Note: This warranty expressly excludes consumable parts such as carbon brushes, floor brushes, mops, batteries etc, that are considered replaceable from time to time during the normal working life of the machine.*

*Using non Numatic dustbags can be detrimental to both machine performance and life and may invalidate the Warranty.*

- A. The warranty period commences from the date the goods are purchased.*
- B. All warranty claims must be processed through the Dealer from whom the equipment was purchased. The Dealer will co-operate with the purchaser throughout the warranty claims procedure and will arrange any necessary repairs using genuine Numatic parts.*
- C. If the original Dealer is no longer able to fulfil his obligations please contact Numatic International Limited with full details of the claim and proof of purchase so that this may be processed without delay.*
- D. Any warranty claim can only relate to the specific part that is proven to be at fault and for which a replacement will be supplied but cannot be extended to constitute a claim against the complete machine.*
- E. Numatic International will supply the Dealer with any warranty parts required, subject to the claim being validated, after return of the faulty items in accordance with Numatic International Limited's General Conditions of Sale.*
- F. Claims will not be accepted if they are the result of fair wear and tear, misuse or abuse of any kind.*
- G. No replacement will be given unless the appropriate evidence of the validity of the claim has been provided to the satisfaction of Numatic International Limited.*
- H. Numatic International Limited reserve the right to charge for any unnecessary work carried out as a result of an invalid claim.*
- I. No variation to this warranty may be made or implied by any member of Numatic International Limited or its Dealers unless such variation is in writing and authorised by the Company*



Numatic International Limited. Chard, Somerset, TA20 2GB

Telephone: 01460 68600 Fax: 01460 68458

© Numatic International Limited

<b>UKCA Declaration of Conformity</b>	
<b>Manufacturer:</b>	Numatic International Limited Chard Somerset TA20 2GB www.numatic.co.uk
<b>Product:</b>	NVQ, NVDQ
<b>Description:</b>	Vacuum Cleaner – Commercial – Dry
<b>We, Numatic hereby declare under our sole responsibility, that the above-mentioned product(s) is/are in conformity with the following directives and standards.</b>	
<b>S.I. 2008: 1597</b>	<b>Supply of Machinery Regulations</b> EN60335-1:2012 + AC:2014 + A11:2014 + A13:2017 EN60335-2-69:2012 EN62233:2008
<b>S.I. 2016: 1091</b>	<b>EMC Regulations</b> EN55014-1:2017 + A11:2020 EN55014-2:1997 + A1:2001 + A2:2008 EN61000-3-2:2014 EN61000-3-3:2013
<b>S.I. 2012: 3032</b>	<b>RoHS Regulations</b>

<b>EU, EC, EL, UE, ES:</b> <b>Declaration of Conformity</b> Prohlášení o shodě Konformitáserklárung Overensstemmelseerklæring Declaração de conformidade Vastuudeklaratsioon Déclaration de conformité	<b>Декларация за съответствие</b> Дηλώση συμμόρφωσης Megfelelőségi nyilatkozat Dichiarazione di conformità Atitikties deklaracija Conformiteitsverklaring Samsvarserklæring Declaração de conformidade	<b>Deklaracja zgodności</b> Declaratie de conformitate Deklaracija o overensstemmelse Izjava o skladnosti Vaatumustenmukaisuusvakuutus
<b>Manufacturer:</b> / <b>Производитель</b> / <b>Hersteller</b> / <b>Fabrikant</b> / <b>Fabricante</b> / <b>Tootja</b> / <b>Fabricant</b> / <b>производитель</b> / <b>Κατασκευαστής</b> / <b>Gyártó</b> / <b>Fabbricante</b> / <b>Gamintojas</b> / <b>Fabrikant</b> / <b>Produsent</b> / <b>Fabricante</b> / <b>Producteur</b> / <b>Producător</b> / <b>производитель</b> / <b>Tililverkare</b> / <b>Proizvajalca</b> / <b>Valmistaja</b> :	Numatic International Limited Chard Somerset TA20 2GB www.numatic.co.uk NVQ, NVDQ	Numatic International Limited Chard Somerset TA20 2GB www.numatic.co.uk NVQ, NVDQ
<b>Product:</b> / <b>Προϊόν</b> / <b>Термék</b> / <b>Producto</b> / <b>Toodet</b> / <b>Produit</b> / <b>Продукт</b> / <b>Προϊόν</b> / <b>Термék</b> / <b>Producto</b> / <b>Artikkel</b> / <b>Produkt</b> / <b>Produtos</b> / <b>Produkt</b> / <b>Продукт</b> / <b>товар</b> / <b>Produkt</b> / <b>Izdelka</b> / <b>Tuote</b> :	Продукт / <b>Προϊόν</b> / <b>Термék</b> / <b>Producto</b> / <b>Toodet</b> / <b>Produit</b> / <b>Продукт</b> / <b>Προϊόν</b> / <b>Термék</b> / <b>Producto</b> / <b>Artikkel</b> / <b>Produkt</b> / <b>Produtos</b> / <b>Produkt</b> / <b>Продукт</b> / <b>товар</b> / <b>Produkt</b> / <b>Izdelka</b> / <b>Tuote</b> :	Vacuum Cleaner – Commercial – Dry
<b>Description:</b> / <b>Ποσις</b> / <b>Beschreibung</b> / <b>Beskrivelse</b> / <b>Description</b> / <b>Kirjeldus</b> / <b>La description</b> / <b>Описание</b> / <b>Перураофн</b> / <b>Leirás</b> / <b>Descrizione</b> / <b>Apludinimas</b> / <b>Omschrijving</b> / <b>Beskrivelse</b> / <b>Descrição</b> / <b>Opis</b> / <b>Descrigrere</b> / <b>Описание</b> / <b>Beskrivning</b> / <b>Opis</b> / <b>Kuvaus</b> :	<b>Description:</b> / <b>Ποσις</b> / <b>Beschreibung</b> / <b>Beskrivelse</b> / <b>Description</b> / <b>Kirjeldus</b> / <b>La description</b> / <b>Описание</b> / <b>Перураофн</b> / <b>Leirás</b> / <b>Descrizione</b> / <b>Apludinimas</b> / <b>Omschrijving</b> / <b>Beskrivelse</b> / <b>Descrição</b> / <b>Opis</b> / <b>Descrigrere</b> / <b>Описание</b> / <b>Beskrivning</b> / <b>Opis</b> / <b>Kuvaus</b> :	
<b>GB We, Numatic hereby declare under our sole responsibility, that the above-mentioned product(s) is/are in conformity with the following directives and standards.</b>	<b>GB</b> Ние, Numatic с настоящото декларираме на своя лична отговорност, че посочените по-горе продукти е в съответствие със следните директиви и стандарти.	<b>PT</b> Nós, a Numatic declaramos, sob nossa exclusiva responsabilidade, que o produto acima mencionado está em conformidade com as direttrizes e normas a seguir.
<b>CZ</b> My, Numatic prohlašujeme na svou vřichnou odpovědnost, že vyše uvedeny výrobek je ve shodě s následujícími směrniciemi a normami.	<b>GR</b> Εμείς, Numatic δηλώνουμε με αποκλειστική μας ευθύνη, ότι το προαναφερθέν προϊόν συμμορφώνεται με τις εκάθουβες οδηγίες, κα πρότυπα.	<b>PL</b> My, Numatic Niniejszym oświadczamy z pełną odpowiedzialnością, że wyżej wymieniony produkt jest zgodny z następującymi dyrektywami i normami.
<b>DE</b> Wir, Numatic erklären in alleiniger Verantwortung, dass das oben genannte Produkt den folgenden Richtlinien und Normen entspricht.	<b>HU</b> Mi, Numatic kijelentjük, egyedüli felelősséggel, hogy a fent említett termék megfelel az alábbi irányelveknek és szabványoknak.	<b>RO</b> Noi, Numatic Prin prezenta declarăm pe propria răspundere, că produsul mai sus menționat este în conformitate cu următoarele standarde și directive.
<b>DK</b> Vi, Numatic erklærer hermed under eget ansvar at ovennævnte produkt(er) er i overensstemmelse med følgende direktiver og standarder.	<b>IT</b> Noi, Numatic dichiara sotto la propria responsabilità, che il prodotto di cui sopra è conforme alle seguenti direttive e norme.	<b>RU</b> Мы, Нифирик овим иъявляем под пуном одговорношћу, да наведенор производ је у складу са следећим директивама и стандардима.
<b>ES</b> Nosotros, Numatic declaramos bajo nuestra única responsabilidad que el producto antes mencionado está en conformidad con las siguientes directivas y normas.	<b>LT</b> Mes, "Numatic pareiškiu vienašališkos atsakomybės, kad pirmiau minėtas produktas atitinka šias direktyvas ir standartus.	<b>SE</b> Vi Numatic förklarar härmed under eget ansvar att ovan nämnda produkt överensstämmer med följande direktiv och normer.
<b>EE</b> Meie, Numatic kätsolevaga kinnitame ja kanname ainuisikulist vastutust, et eespool nimetatud toode on kooskõlas järgmistele direktiivide ja	<b>NL</b> We verklaren Numatic hierbij op eigen verantwoordelijkheid, dat het bovengenoemde product voldoet aan de volgende richtlijnen en normen.	<b>SI</b> Mi, Numatic izjavljamo s polno odgovornostjo, da je zgoraj omenjeni izdelek v skladu z naslednjimi smernicami in standardi.
<b>FR</b> Numatic déclare sous notre seule responsabilité que le produit mentionné ci-dessus est conforme aux directives et normes suivantes.	<b>NO</b> Vi, Numatic erklærer herved under eget ansvar, at det ovennevnte produktet er i samsvar med følgende direktiver og standarder.	<b>FI</b> Me, Numatic täten vakuutamme omalla vastuulla, että edellä mainittu tuote on yhdenmukainen seuraavien direktiivien ja standardien mukaisesti.
<b>2006/42/EC</b>	<b>Machinery Directive</b>	<b>EN60335-1:2012 + AC:2014 + A11:2014 + A13:2017</b> <b>EN60335-2-69:2012</b> <b>EN62233:2008</b>
<b>2014/30/EU</b>	<b>EMC Directive</b>	<b>EN55014-1:2017 + A11:2020</b> <b>EN55014-2:1997 + A1:2001 + A2:2008</b> <b>EN61000-3-2:2014</b> <b>EN61000-3-3:2013</b>
<b>2011/65/EU</b>	<b>RoHS Directive</b>	

Authorised Signatory: Mr. Matthew Coles  
Position: Head of Technology  
Numatic International Limited  
Chard,  
Somerset, TA20 2GB, UK

Signed: *M Coles* Date: 04<sup>th</sup> May 2022



# Numatic INTERNATIONAL



Numatic International Limited.  
Chard, Somerset TA20 2GB ENGLAND  
Tel: 01460 68600 [www.numatic.co.uk](http://www.numatic.co.uk)




Numatic International GmbH. Fränkische Straße 15–19  
D-30455 Hannover, DEUTSCHLAND  
Tel: 05 11 98 42 16 0 [www.numatic.de](http://www.numatic.de)



Numatic International SAS. 13 / 17 rue du Valengelier  
EAE La Tuilerie – 77500 CHELLES, FRANCE  
Tel: 01 64 72 61 61 [www.numatic.fr](http://www.numatic.fr)



Numatic International BV  
Vennootsweg 15, 2404 CG, Alphen aan den Rijn, NEDERLAND  
Tel: 0172 467 999 [www.numatic.nl](http://www.numatic.nl)



Numatic International (Pty.) Ltd.  
16th & Pharmaceutical Roads, Midrand, Gauteng,  
SOUTH AFRICA 1685  
Tel: 0861 686 284 [www.numatic.co.za](http://www.numatic.co.za)



Numatic International Schweiz AG.  
Sihlbruggstrasse 3A, 6340 Baar. SCHWEIZ  
Tel: 0041 (0) 41 76 80 76 - 0 [www.numatic.ch](http://www.numatic.ch)



Numatic International ULDA. Rua da Boa Viagem, 177  
4470.210 Maia. PORTUGAL  
Tel: +351 220 047 700 [www.numatic.pt](http://www.numatic.pt)



Numatic International SLU. C/ La Forja, 41, 08840 Viladecans  
(Barcelona), Spain  
Tel: +34 93 647 22 22 [www.numatic.es](http://www.numatic.es)

Specification subject to change without prior notice  
[www.numatic.co.uk](http://www.numatic.co.uk) © Numatic International Limited