




TT4055G



Service Engineer Exploded Drawings

**DISCLAIMER:**

These drawings are for part order reference only and intended for service engineers use.

The installation of Genuine Numatic spare parts should only be executed by Certified Numatic service engineers who specialised and familiar with all relevant safety regulations.

Numatic International Ltd do not accept responsibility or liability for any loss or damage to property or person if repairs or servicing of products are carried out by non-certified persons.

Specifications and parts are subject to change without notice.

HAFTUNGSAUSSCHLUSS:**DE**

Diese Zeichnungen dienen nur als Referenz für Teilebestellungen und sind nur für den Gebrauch durch Servicetechniker bestimmt.

Die Montage von originalen Numatic-Ersatzteilen darf nur von zertifizierten Numatic-Servicetechnikern ausgeführt werden, die mit allen relevanten Sicherheitsvorschriften vertraut sind.

Numatic International Ltd übernimmt keine Verantwortung oder Haftung für Verluste oder Schäden an Eigentum oder Personen, wenn Reparaturen oder Wartungsarbeiten an Produkten von nicht zertifizierten Personen durchgeführt werden.

Technische Daten und Teile können ohne vorherige Ankündigung geändert werden.

CLAUDE DE NON-RESPONSABILITÉ:**FR**

Ces schémas sont fournis à titre de référence de commande de pièces uniquement et sont destinés aux techniciens de maintenance.

L'installation de pièces de rechange Numatic d'origine doit être effectuée uniquement par des techniciens de maintenance Numatic certifiés spécialisés et familiarisés avec toutes les règles de sécurité applicables.

Numatic International Ltd décline toute responsabilité en cas de perte ou de dommage matériel ou personnel si des réparations ou l'entretien des produits sont effectués par des personnes non certifiées.

Les spécifications et les pièces sont susceptibles d'être modifiées sans préavis.

DISCLAIMER:**NL**

Deze tekeningen zijn uitsluitend bedoeld als referentie voor het bestellen van onderdelen en voor gebruik door servicemonteurs.

De installatie van originele reserveonderdelen van Numatic mag alleen worden uitgevoerd door gecertificeerde servicemonteurs van Numatic die gespecialiseerd zijn en bekend zijn met alle relevante veiligheidsvoorschriften.

Numatic International Ltd aanvaardt geen verantwoordelijkheid of aansprakelijkheid voor verlies of schade aan eigendommen of personen als reparaties of onderhoud aan producten worden uitgevoerd door niet-gecertificeerde personen.

Specificaties en onderdelen kunnen zonder voorafgaande kennisgeving worden gewijzigd.

RENÚNCIA DE RESPONSABILIDADE:**PT**

Estes desenhos servem apenas como referência para a encomenda de peças e destinam-se a ser utilizados pelos técnicos de assistência.

A instalação de peças sobresselentes genuínas da Numatic só deve ser efetuada por técnicos de assistência certificados da Numatic que se especializem e familiarizem com todos os regulamentos de segurança relevantes.

A Numatic International Ltd não aceita qualquer responsabilidade por perdas ou danos materiais ou pessoais se as reparações ou a manutenção dos produtos forem efetuadas por pessoas não certificadas.

As especificações e as peças estão sujeitas a alterações sem aviso prévio.

ESCLUSIONE DI RESPONSABILITÀ:**IT**

Questi disegni sono forniti solo come riferimento per l'ordine dei componenti e sono destinati all'uso da parte dei tecnici dell'assistenza.

L'installazione di ricambi originali Numatic deve essere eseguita esclusivamente da tecnici dell'assistenza certificati Numatic specializzati e a conoscenza di tutte le norme di sicurezza pertinenti.

Numatic International Ltd non si assume alcuna responsabilità per eventuali perdite o danni alla proprietà o alle persone se le riparazioni o la manutenzione dei prodotti vengono eseguite da persone non certificate.

Le specifiche e le parti sono soggette a modifiche senza preavviso.

EXENCIÓN DE RESPONSABILIDAD:**ES**

Estos esquemas solo se muestran como referencia para pedir piezas y para su uso por parte de ingenieros de mantenimiento.

La instalación de recambios originales de Numatic solo deben realizarla los ingenieros de mantenimiento homologados de Numatic que estén especializados y familiarizados con las normativas de seguridad pertinentes.

Numatic International Ltd no acepta la responsabilidad de cualquier pérdida o daño a la propiedad o a las personas si las reparaciones o el mantenimiento de los productos se llevan a cabo por personas sin certificación.

Las especificaciones y piezas están sujetas a cambios sin previo aviso.

ZASTRZEŻENIE:**PL**

Rysunki te służą wyłącznie do celów referencyjnych podczas zamawiania części i są przeznaczone do użytku przez inżynierów serwisowych.

Montaż oryginalnych części zamiennych Numatic powinien być wykonywany wyłącznie przez certyfikowanych serwisantów firmy Numatic, którzy posiadają odpowiednie kwalifikacje i znają wszystkie odpowiednie przepisy bezpieczeństwa.

Firma Numatic International Ltd nie ponosi odpowiedzialności za jakiegokolwiek straty lub szkody majątkowe i osobiste, jeśli naprawy lub serwisowanie produktów są przeprowadzane przez osoby nieposiadające certyfikatu.

Dane techniczne i części mogą zostać zmienione bez powiadomienia.

FRISKRIVNINGSKLAUSUL:**SV**

Dessa ritningar är endast avsedda för referens vid beställning av reservdelar och är avsedda för servicetekniker.

Installation av originalreservdelar från Numatic får endast utföras av certifierade Numatic-servicetekniker som specialiserar sig på och känner till alla relevanta säkerhetsföreskrifter.

Numatic International Ltd påtar sig inget ansvar för förlust eller skada på egendom eller person om reparationer eller service av produkter utförs av icke-certifierade personer.

Specifikationerna och produktens delar kan ändras utan föregående meddelande.

VASTUUVAPAUSLAUSEKE:**FI**

Nämä piirrokset on tarkoitettu ainoastaan osien tilaamisen avuksi ja ainoastaan huoltoinsinöörien käyttöön.

Aitoja Numatic-varaosia saavat asentaa vain sertifioidut Numatic-huoltoinsinöörit, jotka ovat perehtyneet kaikkiin asiaankuuluviin turvamääräyksiin.

Numatic International Ltd ei ole vastuussa mistään omaisuus- tai henkilövahingoista, jos sertifioidut henkilöt ovat korjanneet tai huoltaneet tuotteita.

Teknisiä ominaisuuksia ja osia voidaan muuttaa ilman erillistä ilmoitusta.


ANSVARSRASKRIVELSE:**DA**

Disse tegninger er kun til reference for reservedelsordrer og er beregnet til serviceteknikere.

Montering af originale Numatic-reservedele må kun udføres af certificerede Numatic-serviceteknikere, der er specialiseret i og har kendskab til alle relevante sikkerhedsbestemmelser.

Numatic International Ltd påtager sig intet ansvar for tab eller skade på ejendom eller person, hvis reparationer eller service på produkter foretages af ikke-certificerede personer.

Specifikationer og dele kan ændres uden varsel.



Numatic International Spare Parts

Model No: TT4045 (TT1117) & TT4055 (TT1120) TOP TANK ASSEMBLY


ITEM:	PART No:	DESCRIPTION	COMMENTS	QTY.
1	901780	TT 4055 TOP TANK MOULDING (GRAPHITE)		1
	237656	TT 4055 TOP TANK MOULDING (BLUE)		1
	237731	TT 4055 TOP TANK MOULDING (RED)		1
	237733	TT 4055 TOP TANK MOULDING (LIGHT YELLOW)		1
	237735	TT 4055 TOP TANK MOULDING (GREEN)		1
3	907514	HT4045 TOP TANK MOULDING (BLACK)		1
	906070	MESHLESS FILTER BASKET		1
	237381	INTEGRATED CHASSIS SEPARATOR		1
	392200	FILTER GASKET RING		1
	237090	SEPARATOR FLOAT MOULDING (MK 2)		1
7	237526	38MM RED DRAIN HOSE CONNECTOR		1
	237018	38MM DRAIN HOSE CONNECTOR		1
	219852	N06 X 1/2 LONG POZZI PAN STAINLESS STEEL SELF TAP SCREW		4
	219569	N08 X 1/2 INCH LONG POZZI PAN STAINLESS STEEL PLASTITE SCREW		4
	219310	RUBBER WASHER		2
12	206315	TUBE END PLUG		3
	206285	TT/B 345 BARREL FILTER		1
	206116	BLACK NUT		2
	208591	NEW SEPARATOR GASKET		1
	N/A	VAC HOSE 650MM X Ø38MM		1
17	N/A	35MM X 600MM LONG 3:1 STRETCH HOSE (SHORT & LONG CUFF)		1
	237718	HOSE GUIDE		1
	291135	M5 X 10MM LONG STAINLESS STEEL POZZI PAN SEMS SCREW		2
	902919	CLIP MOULDING (RED)		2
	229494	CLIP MOULDING (GREY)		2
21	237382	ACETAL HOSE CLIP MOULDING		1
	901548	35MM X 250MM STRETCH HOSE (3:1) CW ADJUSTABLE CUFF + CAP		1
	900903	HOSE CLOSURE REPLACEMENT KIT (35MM-38MM STRETCH HOSE)	SPARE PART	1
	219919	32MM-50MM STAINLESS STEEL HOSE CLIP		1

Numatic International Spare Parts

Model No: TT4045 (TT1117) & TTB4055 (TT1120) BOTTOM TANK / VAC

NB: FOR WIRING SEE DRAWING: DRW-18548, DRW-17307, DRW-17309, DRW-18468
NOTE: HT MODELS USE HFM STYLE MOTOR 230V50Hz DRW-21894 115V50Hz DRW-21891

244497
Drawing: DRW-18829 ISS:A22
06/06/2018



Numatic International Spare Parts

Model No: TT4045 (TT1117) & TTB4055 (TT1120) BOTTOM TANK / VAC MOTOR ASSEMBLY

ITEM:	PART No:	Description	Comments:	QTY.
1	237657	TT-4055 BOTTOM TANK MOULDING (GRAPHITE)		1
	237689	TT-4055 BOTTOM TANK MOULDING (GRAPHITE) EP		1
	907515	HT4045 BOTTOM TANK MOULDING (RED)		1
3	202008	MOTOR CAP GASKET		1
4	304417	MAINS MOTOR MOUNT WELD ASSEMBLY		1
5	205443	230V 2 STAGE D.I BYPASS ACUSTEK MOTOR (BLZ1104T) (MARKED 230V) TCO		1
	321935	120V VAC MOTOR ASSEMBLY C/W 170MM LONG MOTOR LEAD	110V/9A & 120V/9A-NAECE 5A OVERLOAD, OLDER BLUE MACHINES	1
	905736	120V 800W VAC MOTOR ASSEMBLY C/W 170MM LONG MOTOR LEAD	120V/80Hz 800W VAC, NAECE, 15A OVERLOAD, GREY MACHINES	1
6	219569	No8 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW		4
7	901539	ELBOW ANGLE CONNECTOR 3/8 PARALLEL THREAD C/W O-RING TO 12MM PUSH IN		1
8	213025	DUMP HOSE		1
9	208956	SILENCER FOAM TUBE 150MM		1
10	208583	DIP MOULDED ELBOW (MAINS VERSION)		1
11	902133	SPRING WIRE CLAMP (YDNAC-Y8010356)		1
12	901916	28mm HOSE CLIP		1
18	237754	35-38MM HOSE CLIP		2
14	237681	SQUEEGEE LIFT HANDLE		1
	902324	RED SQUEEGEE LIFT HANDLE		1
15	208801	TT MOTOR GASKET		1
16	208799	TT MOTOR PLATE GASKET		1
17	291118	M5 STAINLESS STEEL WASHER 19MM OD		1
18	208962	TT LIFTING WIRE		1
19	219721	M5 STAINLESS STEEL FULL NUT		1
20	219633	M5 STAINLESS STEEL NYLON INSERT NUT		1
21	219644	M5 FORM G STAINLESS STEEL WASHER		4
22	207128	CLEAN TANK INLET FILTER		1
	903543	CLEAN TANK INLET FILTER (RED)		1
23	237268	FILLER CAP LID		1
	903544	FILLER CAP LID (RED)		1
24	208960	TTB/TT FILLING HOSE		1
25	220403	CABLE CLIP		2
26	404216	HANDLE MOUNT WELD ASSEMBLY - Z/PL		1
27	219558	M5 STAINLESS STEEL NUTSERT		3
28	291124	M10 PENNY WASHER STAINLESS STEEL		2
29	219716	M8 FORM G STAINLESS STEEL WASHER		8
30	219639	M8 STAINLESS STEEL NYLON INSERT NUT		4
31	219686	M4 X 20MM LONG STAINLESS STEEL POZI PAN MACHINE SCREW		1
32	219687	M4 STAINLESS STEEL NYLON INSERT NUT		1
33	219895	M10 X 35MM LONG HEXAGONAL STAINLESS STEEL SCREW		1
34	291123	M8 X 75 LONG HEX HEAD BOLT STAINLESS STEEL		4
35	219897	M10 STAINLESS STEEL NYLON INSERT NUT		1
36	900886	NYLON GROMMET NUT (PLASTIC INSERT TO SUIT No 8 PLASTITE SCREW)		4
37	219568	NO8 3/4 INCH LG POZI-PAN SCREW STAINLESS STEEL PLASTITE		4
38	903341	32MM HOSE CAP RED (C/W 8MM HOLE)		2
39	904403	BARBED RIVET BLACK		2
40	902275	VAC PLATE GASKET		1
41	291135	M5 X 10MM LONG STAINLESS STEEL POZI PAN SEMS SCREW		6
42	291132	M5 X 16MM LONG STAINLESS STEEL POZI PAN SEMS SCREW		3
43	903539	HANDLE MOUNT COVER PAINTED SILVER		2
44	904108	FLOAT STOP MOULDING		2
45	904109	FLOAT MOULDING		1
46	907553	VAC MOTOR PLATE MOULDING		1
47	907507	4MM THICK SEALING RING		1
48	291131	M5 X 12MM LONG STAINLESS STEEL POZI PAN SEMS SCREW		4


Numatic International Spare Parts

TT4045 (TT1117) & TT4055 (TT1120) & TTB3045
Model No: CHASSIS ASSEMBLY

244496

Internal Code:

DRAWING: DRW-18813 ISSA10
28/06/2016



Numatic International Spare Parts

TT4045 (TT1117) & TT4055 (TT1120) & TTB3045 CHASSIS ASSEMBLY
Model No:


ITEM:	PART No:	Description	Comments:	QTY.
1	206713	80MM DIAMETER WHITE WHEEL		2
2	304356	FLOOR TOOL PIVOT TUBE		1
3	206964	SLIDE NYLON SPACER		4
4	206954	SPIRO SPACER		2
5	291125	M6 X 40 LONG HEX BOLT STAINLESS STEEL		1
6	219642	M6 STAINLESS STEEL NYLON INSERT NUT		2
7	304359	TT/TTB4045/4055 SQUEEGEE MOUNT WELD ASSEMBLY		1
8	208868	EXTENDED STRAINER		1
8a	208890	EXTENDED STRAINER CLEAR BOWL	SPARE ITEM	1
8b	208830	STRAINER GASKET	SPARE ITEM	1
8c	208889	EXTENDED STRAINER 50 MESH SCREEN	SPARE ITEM	1
8d	208827	STRAINER BLACK TOP	SPARE ITEM	1
9	901543	12MM SWIVEL ELBOW PUSH FIT TO 10MM HOSE TAIL BALL VALVE ASSEMBLY		1
9a	901544	TAP HANDLE CW COVER AND M3X6MM SCREW (SPARE ITEM)		1
10	392314	10MM TAP BRACKET		1
11	208312	IGUS BEARING (GFM 101205)		6
12	208574	M8 X 10 X 60 SHOULDER BOLT		1
13	237632	SHOULDER BOLT COVER		3
14	219631	19MM GROMMET		1
15	219578	M8 FORM A STAINLESS STEEL WASHER		4
16	219639	M8 STAINLESS STEEL NYLON INSERT NUT		3
17	208771	TPR OPEN GROMMET	TT4045/55 ONLY (MAINS)	1
18	304358	DECK LOCK BAR WELD ASSEMBLY		1
19	208578	DECK LOCK SPRING		1
20	900986	NYLON GROMMET NUT (PLASTIC INSERT TO SUIT No 8 PLASTITE SCREW)		5
21	208638	160mm WHEEL WITH POLYURETHENE TYRE		2
22	321902	SILENCER CLAMP	TT4045/55 ONLY (MAINS)	1
23	219719	M6 X 16MM LONG HEXAGONAL STAINLESS STEEL HEAD BOLT		5
24	219718	WASHER M6 SPRING STAINLESS STEEL		5
25	219647	M6 FORM G STAINLESS STEEL WASHER		5
26	219897	M10 STAINLESS STEEL NYLON INSERT NUT		2
27	391440	1/2 INCH X 18G X 41MM LONG STAINLESS STEEL SPACER TUBE		2
28	219894	M10 X 60MM LONG HEXAGONAL STAINLESS STEEL BOLT		2
29	219568	N08.3/4 INCH LG POZI-PAN SCREW STAINLESS STEEL PLASTITE		5
30	291067	M8 X 10 X 55MM LONG HEX SOCKET SHOULDER BOLT		2
31	391216	SILICON TUBE 8MM I/D X 3.2MM WALL SECTION (CUT 600MM)		1
32	901555	NYLON TUBE 12MM OD X 10MM ID (110MM)		1
33	208619	FLOOR TOOL SPRING		1
34	391215	SILICON TUBE 200MM LONG X 8MM I/D X 3.2MM WALL SECTION		1
35	219903	M10 FORM A STAINLESS STEEL WASHER		4
36	900213	TT/4045/4055 CHASSIS WELD ASSY (12SWG S/S) (2014 MODEL)		1
37	219568	M5 STAINLESS STEEL NUT/INSERT		1
38	291167	M6 X 70MM LONG HEX HEAD BOLT STAINLESS STEEL		1
39	901279	LATCH BLOCK TOP MOULDING		1
40	901280	LATCH BLOCK BOTTOM MOULDING		1
41	901558	M5 X 60MM STAINLESS STEEL POZI PAN MACHINE SCREW		3
42	219633	M5 STAINLESS STEEL NYLON INSERT NUT		3
43	901006	FILTER MOUNTING BRACKET		1
44	219644	M5 FORM G STAINLESS STEEL WASHER		2
45	291132	M5 X 16MM LONG STAINLESS STEEL POZI PAN SEMS SCREW		1
46	304466	FLOOR TOOL BRACKET ASSEMBLY (TT/TTB4045/4055)		1
47	206953	DETENT PINS		2

Numatic International Spare Parts

Model No: TT4045G & TT4055G CHASSIS ASSEMBLY EXPLODED VIEW

904402

Internal Code: PRO
DRAWING: DRW-23621 ISS:A05



Numatic International Spare Parts

Model No: TT4045G & TT4055G CHASSIS ASSEMBLY EXPLODED VIEW


ITEM:	PART No:	DESCRIPTION	COMMENTS:	QTY
	904902	PLASTIC CHASSIS (BLACK)		
1	901543	12MM SWIVEL ELBOW PUSH FIT TO 10MM HOSE TAIL BALL VALVE ASSEMBLY		1
2	208888	EXTENDED STRAINER		1
3	901006	FILTER MOUNTING BRACKET	DETAIL A	1
4	208827	STRAINER BLACK TOP		1
5	208890	68MM EXTENDED STRAINER CLEAR BOWL	PART OF ITEM 3 (208888)	1
6	208889	EXTENDED STRAINER 50 MESH SCREEN	PART OF ITEM 3 (208888)	1
7	208830	STRAINER GASKET	PART OF ITEM 3 (208888)	1
8	208638	160mm WHEEL WITH POLYURETHENE TYRE		2
9	903577	AXLE BAR ST/ST 10MM DIA. 68MM LONG		2
10	219603	M10 FORM A STAINLESS STEEL WASHER		4
11	206713	80MM DIAMETER WHITE WHEEL		2
12	903576	AXLE BAR ST/ST 12.7MM DIA. 60MM LONG		2
13	903597	AXLE CLIP		4
14	903596	AXLE PLATE		6
15	903594	TAP PLATE		2
16	219569	N08.12 INCH LG.POZI-PAN SCREW STAINLESS STEEL PLASTITE		17
17	219568	N08.3/4 INCH LG.POZI-PAN SCREW STAINLESS STEEL PLASTITE		2
18	903573	NYLON TUBE 12MM OD X 10MM ID (96MM +/-1.0)		1
19	903580	SILICON TUBE 640MM LONG X 8MM I/D X 14.4MM OD		1
20	903581	SILICON TUBE 155MM LONG X 8MM I/D X 14.4MM OD		1
21	219465	P-CLIP		3
22	219644	M6 FORM G STAINLESS STEEL WASHER		2
23	219647	M6 FORM G STAINLESS STEEL WASHER		5
24	219625	M6 x 25MM LONG STAINLESS STEEL HEX SCREW		5
25	902353	M6 EXTERNAL SHAKEPROOF WASHER STAINLESS STEEL		5
26	208312	IGUS BEARING (GFM 101205)		6
27	902520	M8 INTERNAL WASHER SHAKEPROOF STAINLESS STEEL		1
28	903566	M8X16MM LONG STAINLESS STEEL SOCKET BUTTON HEAD BOLT		1
29	903565	M8 STAINLESS STEEL HEADED NUTSERT		1
30	901280	LATCH BLOCK BOTTOM MOULDING		1
31	901279	LATCH BLOCK TOP MOULDING		1
32	901558	M6 X 60MM STAINLESS STEEL POZI PAN MACHINE SCREW		3
33	219633	M5 STAINLESS STEEL NYLON INSERT NUT		3
34	904440	DECK LATCH BAR		1
35	208578	DECK LOCK SPRING		1
36	219578	M8 FORM A STAINLESS STEEL WASHER		2
37	304359	TT/TTB4045/4055 SQUEEGEE MOUNT WELD ASSEMBLY		1
38	903575	AXLE BAR ST/ST 10MM DIA. 75MM LONG		1
39	208619	FLOOR TOOL SPRING		1
40	206964	SLIDE NYLON SPACER		4
41	206954	SPIRO SPACER		2
42	291125	M6 X 40 LONG HEX BOLT STAINLESS STEEL		1
43	219642	M6 STAINLESS STEEL NYLON INSERT NUT		1
44	304356	FLOOR TOOL PIVOT TUBE		1
45	206953	DETENT PINS		2
46	304466	FLOOR TOOL BRACKET ASSEMBLY (TT/TTB4045/4055)		1
47	903589	TT/B PLASTIC CHASSIS		1

Numatic International Spare Parts

Model No: TT4045 (TT1117) & TT4055 (TT1120) HANDLE ASSEMBLY EXPLODED

244495
DRAWING: DRW-16831 ISS-A24
01/03/2022

NB: FOR WIRING SEE DRAWING: DRW-18548, DRW-17307, DRW-17309, DRW-18468
NOTE: HT MODELS USE HFV STYLE MOTOR 230V/50Hz DRW-21894 115V/50Hz DRW-21891



Numatic International Spare Parts


Model No: TT4045 (TT1117) & TT4055 (TT1120) HANDLE ASSEMBLY EXPLODED

ITEM:	PART No:	DESCRIPTION	COMMENTS:
1	900398	HANDLE CASTING MACHINED (HNS VERSION)	
2	900397	MINI ADJUSTMENT GEAR	
3	224073	GEAR SPOCKET PIN	
4	224073	GEAR SPOCKET PIN	
5	224073	GEAR SPOCKET PIN	
6	224073	GEAR SPOCKET PIN	
7	224073	GEAR SPOCKET PIN	
8	224073	GEAR SPOCKET PIN	
9	224073	GEAR SPOCKET PIN	
10	224073	GEAR SPOCKET PIN	
11	224073	GEAR SPOCKET PIN	
12	224073	GEAR SPOCKET PIN	
13	224073	GEAR SPOCKET PIN	
14	224073	GEAR SPOCKET PIN	
15	224073	GEAR SPOCKET PIN	
16	224073	GEAR SPOCKET PIN	
17	224073	GEAR SPOCKET PIN	
18	224073	GEAR SPOCKET PIN	
19	224073	GEAR SPOCKET PIN	
20	224073	GEAR SPOCKET PIN	
21	224073	GEAR SPOCKET PIN	
22	224073	GEAR SPOCKET PIN	
23	224073	GEAR SPOCKET PIN	
24	224073	GEAR SPOCKET PIN	
25	224073	GEAR SPOCKET PIN	
26	224073	GEAR SPOCKET PIN	
27	224073	GEAR SPOCKET PIN	
28	224073	GEAR SPOCKET PIN	
29	224073	GEAR SPOCKET PIN	
30	224073	GEAR SPOCKET PIN	
31	224073	GEAR SPOCKET PIN	
32	224073	GEAR SPOCKET PIN	
33	224073	GEAR SPOCKET PIN	
34	224073	GEAR SPOCKET PIN	
35	224073	GEAR SPOCKET PIN	
36	224073	GEAR SPOCKET PIN	
37	224073	GEAR SPOCKET PIN	
38	224073	GEAR SPOCKET PIN	
39	224073	GEAR SPOCKET PIN	
40	224073	GEAR SPOCKET PIN	
41	224073	GEAR SPOCKET PIN	
42	224073	GEAR SPOCKET PIN	
43	224073	GEAR SPOCKET PIN	
44	224073	GEAR SPOCKET PIN	
45	224073	GEAR SPOCKET PIN	
46	224073	GEAR SPOCKET PIN	
47	224073	GEAR SPOCKET PIN	
48	224073	GEAR SPOCKET PIN	
49	224073	GEAR SPOCKET PIN	
50	224073	GEAR SPOCKET PIN	
51	224073	GEAR SPOCKET PIN	
52	224073	GEAR SPOCKET PIN	
53	224073	GEAR SPOCKET PIN	
54	224073	GEAR SPOCKET PIN	
55	224073	GEAR SPOCKET PIN	
56	224073	GEAR SPOCKET PIN	
57	224073	GEAR SPOCKET PIN	
58	224073	GEAR SPOCKET PIN	
59	224073	GEAR SPOCKET PIN	
60	224073	GEAR SPOCKET PIN	
61	224073	GEAR SPOCKET PIN	
62	224073	GEAR SPOCKET PIN	
63	224073	GEAR SPOCKET PIN	
64	224073	GEAR SPOCKET PIN	
65	224073	GEAR SPOCKET PIN	
66	224073	GEAR SPOCKET PIN	
67	224073	GEAR SPOCKET PIN	
68	224073	GEAR SPOCKET PIN	
69	224073	GEAR SPOCKET PIN	
70	224073	GEAR SPOCKET PIN	
71	224073	GEAR SPOCKET PIN	
72	224073	GEAR SPOCKET PIN	
73	224073	GEAR SPOCKET PIN	
74	224073	GEAR SPOCKET PIN	
75	224073	GEAR SPOCKET PIN	
76	224073	GEAR SPOCKET PIN	
77	224073	GEAR SPOCKET PIN	
78	224073	GEAR SPOCKET PIN	
79	224073	GEAR SPOCKET PIN	
80	224073	GEAR SPOCKET PIN	
81	224073	GEAR SPOCKET PIN	
82	224073	GEAR SPOCKET PIN	

Numatic International Spare Parts
Model No: 750 TWINTEC ALUMINIUM FLOOR TOOL (38MM HOSE)

606237 577947 599441 900480
DRAWING: DRW-18076 ISS:A10
08/08/2019

NB: FOR WIRING SEE DRAWING: N/A



Numatic International Spare Parts
Model No: 750 TWINTEC ALUMINIUM FLOOR TOOL (38MM HOSE)

ITEM:	PART No:	DESCRIPTION	QTY.
1	208637	(750MM SCRUB WIDTH) ALUMINIUM SQUEEGEE CASTING (38MM HOSE FITTING)	1
2	237624	(750MM SCRUB WIDTH) BLADE HOLDER MouldING (SLOping PROFILE) (32MM & 38MM HOSE FITTING)	1
3	SEE TABLE	750MM SCRUB WIDTH REPLACEMENT FRONT BLADE (968MM LONG)	1
4	SEE TABLE	750MM SCRUB WIDTH REPLACEMENT REAR BLADE (1000MM LONG)	1
5	903281	M10 LOBE KNOB (RED)	4
6	219899	M10 SINGLE COIL STAINLESS STEEL WASHER	2
7	219933	M6 X 35MM SOCKET BUTTON HEAD BOLT STAINLESS STEEL	6
8	219647	M6 FORM G STAINLESS STEEL WASHER	6
9	208953	DETENT PINS	4
10	219642	M6 STAINLESS STEEL NYLON INSERT NUT	6
11	219909	M10 X 25MM LONG HEXAGONAL STAINLESS STEEL SCREW	2
12	237322	RIGHT HAND FLOOR TOOL CLIP MouldING	1
13	237323	LEFT HAND FLOOR TOOL CLIP MouldING	1
14	208796	4 INCH WHEEL	2
15	229175	CONICAL SPRING	2
16	907759	50MM DIAMETER GREY TPR TYRED SWIVEL CASTOR C/W M10 X 60 SWAGED STEM.	2
17	219891	13MM WAVEY WASHER	2
18	908860	ADJUSTABLE FLOOR TOOL CASTOR PLASTIC PLATE LEFT	1
19	908859	ADJUSTABLE FLOOR TOOL CASTOR PLASTIC PLATE RIGHT	1
20	219903	M10 FORM A STAINLESS STEEL WASHER	2
21	291124	M10 PENNY WASHER STAINLESS STEEL	2
22	219951	A4 (STAINLESS STEEL) M10 HEX LOCK NUT (HALF NUT)	2


BLADE	FRONT	REAR
POLYURETHANE 43 SHORE A	208641	208642
POLYURETHANE 50 SHORE A	208643	208644
LINATEX NATURAL RUBBER 40 SHORE A	208639	208640
SERILOR®CLEAN POLYURETHANE FRONT: 40 SHORE A / REAR: 35-45-35 SHORE A	208968	208971

Numatic International Spare Parts

Model No: TT4055 HURRICANE MOTOR 550MM DECK ASSEMBLY 230V 50Hz

WD NOTE: FOR WIRING DIAGRAM DETAILS SEE DRAWING DRW-39881 (PART No.915724)

916900
DRAWING: DRW-41414 ISS-A03
07/06/2024



Numatic International Spare Parts

Model No: TT4055 HURRICANE MOTOR 550MM DECK ASSEMBLY 230V 50Hz

ITEM:	PART No:	Description	QTY.
1	204021	12.7MM STAINLESS STEEL HUB CAP	4
2	204068	3 INCH GREY WHEEL	2
3	206013	BUFFER WHEEL PIN	2
4	208626	TT/TTB4055 PIVOT PIN	2
5	219009	M4 BRASS TAPPEX INSERT	2
6	219892	COMPRESSION SPRING	1
7	219903	M10 FORM A STAINLESS STEEL WASHER	2
8	223242	PLUNGER MOUNTING PLATE MOULDING	1
9	229128	PLUNGER MOULDING BLACK	1
10	228946	SPACER	4
11	229562	SPLASH SKIRT MOULDING	1
12	329187	100MM WHEEL (MODIFIED)	2
13	392279	DECK MOUNT RH (550 DECK VERSION)	1
14	392248	DECK MOUNT BRACKET	1
15	304404	TTB4055 DECK MOULDING DRILLED (NEW DESIGN)	1
16	219644	M5 FORM G STAINLESS STEEL WASHER	2
17	219571	M5 X 20MM LONG POZI PAN STAINLESS STEEL SCREW	2
18	219639	M8 STAINLESS STEEL NYLON INSERT NUT	2
19	219355	M5 FORM A STAINLESS STEEL WASHER	2
20	219668	N08.3/4 INCH LG POZI-PAN SCREW STAINLESS STEEL PLASTITE	6
21	219642	M6 STAINLESS STEEL NYLON INSERT HALF NUT	8
22	219647	M6 FORM G STAINLESS STEEL WASHER	8
23	219701	M6 X 20MM LONG POZI PAN STAINLESS STEEL SCREW	4
24	219016	M5 SHAKEPROOF WASHER	2
25	902352	FOAM SPACER 20MM	2
26	219904	M5 X16MM LONG HEXAGONAL STAINLESS STEEL BOLT	3
27	391439	1/2 INCH DIAMETER X 18G STAINLESS STEEL TUBE (0.375)	1
28	220348	SOLENOID VALVE 240V 50/60HZ	1
29	219688	M4 FORM A STAINLESS STEEL WASHER	2
30	219703	M4 X 35MM LONG STAINLESS STEEL POZI PAN SCREW	2
31	219251	REPLACEMENT MPM CONNECTOR M3 SCREW	1
32	214115	GEAR BOX MID SECTION	1
33	230001	60 Degree Oil V Seal	2
34	230048	28MM EXTERNAL CIRCLIP	1
35	230207	DIE CAST CHUCK MACHINED	1
36	230208	DIE CAST BOTTOM PLATE ASSY	1
37	230094	62MM O/D X 30MM I/D X 20MM BEARING (WITH SEALS)	1
38	230200	62MM INTERNAL CIRCLIP	1
39	230158	VITON OIL SEAL (BROWN)	1
40	230291	PLANET CARRIER & PIN ASSEMBLY (50HZ STANDARD SPEED)	1
41	230215	35MM X 15 I/D ALUMINIUM WASHER	6
42	230027	12 TOOTH PINION GEAR (STANDARD SPEED)	1
43	230013	48 TOOTH SPUR GEAR (STANDARD SPEED 50/60HZ)	3
44	230015	15MM EXTERNAL CIRCLIP	3
45	219706	M5 X 45MM LONG STAINLESS STEEL HEXAGONAL BOLT	3
46	208207	GEARBOX FASTENER WITH SLOT	3
47	906405	HFM MOTOR SPLASH GUARD	1
48	237495	BOTTOM SECTION MOULDING (GRAPHITE)	1
49	219643	M6 X 35MM LONG STAINLESS STEEL POZI PAN SCREW	4
50	908022	FIR R60 INDUCTION MOTOR 2100/1500W 230V 50Hz	1
51	914838	230V 50HZ 1500W 4 POLE INDUCTION MOTOR (OL YMPIA PUMPS SRL MOTOR)	1
52	237412	HFM TOP MOTOR GASKET	1
53	330086	MOTOR WIRE SLEEVE	1
54	330180	HFM MID SECTION MOULDING PRINTED (1500W) (GRAPHITE)	1
55	237503	HFM LID MOULDING (HFM)	1
56	219471	M4 X 12MM LONG POZI PAN SEMS SCREW	1
57	917270	TT CAPACITOR BOX BOTTOM MOULDING C/W 2 INSERTS (GRAPHITE)	1
58	219669	N08 X 1/2 INCH LONG POZI PAN STAINLESS STEEL PLASTITE SCREW	9
59	205088	MOTOR START CAPACITOR 450-516uF	1
60	220897	MOTOR RUN CAPACITOR 25 MFD 450V	1
61	208622	110/120V VOLTAGE RELAY	1
62	227008	N06 X 1/2 INCH LONG POZI PAN PLASTITE SCREW (STAINLESS STEEL)	1
63	219814	BLACK CABLE CLAMP	1
64	220584	N06 X 5/8 INCH LONG POZI-PAN PLASTITE STAINLESS STEEL SCREW	3
65	229213	RENDAR CLIP IN PLUG	1
66	230136	PLUG COVER	1
67	917265	SUPPRESSOR ASSEMBLY	1
68	902556	CAPACITOR BOX UPPER (GRAPHITE)	1
69	219887	SOLENOID MOUNT MOULDING	1
70	229285	M4 STAINLESS STEEL NYLON INSERT NUT	2
		MOTOR MOUNTING SPACER	4

Numatic International Limited (Head Office)

Chard, Somerset TA20 2GB, UNITED KINGDOM

Tel: 01460 68600 numatic.com

Numatic International GmbH

Fränkische Straße 15-19, 30455 Hannover, DEUTSCHLAND

Tel: +49 (0) 511 984 2160 numatic.de

Numatic International Denmark

Fränkische Straße 15-19, 30455 Hannover, DEUTSCHLAND

Tel: +45 (0) 316 40808 numatic-online.dk

Numatic International S.A.S

13/17 rue du Valengelier, EAE la Tuilerie, 77500 Chelles, FRANCE

Tel: +33 (0) 164 726 161 numatic.fr

Numatic International BV

Vennootsweg 15, 2404 CG, Alphen aan den Rijn, NEDERLAND

Tel: +31 (0) 172 467 999 numatic.nl

Numatic International Schweiz AG.

Sihlbruggstrasse 3A, 6340 Baar, SCHWEIZ

Tel: +41 (0) 41 768 0760 numatic.ch

Numatic International (PTY) Ltd.

Cnr. 16th & Pharmaceutical Road, Randjes Park, Midrand 1685, SOUTH AFRICA

Tel: +27 (0) 861 686 284 numatic.co.za

Numatic International ULDA

Rua Francisco da Silva Duarte, nº79,

4475-269 Santa Maria de Avioso, Castelo da Maia, PORTUGAL

Tel: +351 220 047 700 numatic.pt

Numatic International Spain, S.L.U.

Av. Baix Llobregat, 5-7, Oficina bajos 1 (Parc Negocis Mas Blau II)

08820 El Prat de Llobregat (Barcelona), SPAIN

Tel: +34 93 647 22 22 numatic.es

Numatic International Italy S.R.L

Via Luigi Galvani, 2, Z.I. Talponedo, 33080 Porcia (PN), ITALY

Tel: +39 (0) 434 046 211 numatic.it